

Category ID	Closely Mapped CodeSonar Class Name
BSI:AddAccess-ACE	Use of AddAccessAllowedAce
BSI:AddAccess-ACE	Use of AddAccessDeniedAce
BSI:AfxLoadLibrary	Use of AfxLoadLibrary
BSI:AfxLoadLibrary	Use of CoLoadLibrary
BSI:AfxParseURL	Use of AfxParseURL
BSI:CHROOT-01	Use of chroot
BSI:CHROOT-01	chroot without chdir
BSI:CHROOT-02	Use of chroot
BSI:CHROOT-02	chroot without chdir
BSI:CHROOT-03	Use of chroot
BSI:CHROOT-03	chroot without chdir
BSI:CUSERID	Use of cuserid
BSI:Catopen	Use of catopen
BSI:CreateFile-01	Use of CreateFile
BSI:CreateFile-02	Use of CreateFile
BSI:CreateProcess-02	Use of CreateProcess
BSI:CreateProcess-03	Use of CreateProcess
BSI:CreateProcess-04	Use of CreateProcess
BSI:CreateThread	Use of CreateThread
BSI:Exec-SearchPath-01	Use of _exec
BSI:Exec-SearchPath-01	Use of _spawn
BSI:Exec-SearchPath-01	Use of execlp
BSI:Exec-SearchPath-01	Use of execlvp
BSI:Exec-SearchPath-01	Use of popen
BSI:Exec-SearchPath-02	Use of _exec
BSI:Exec-SearchPath-02	Use of _spawn
BSI:FormatMessage	Use of FormatMessage
BSI:GETLOGIN	Use of getlogin
BSI:GETOPT	Use of getopt
BSI:GETPASS	Use of getpass
BSI:GETWD	Use of getwd
BSI:LoadLibrary	Use of LoadLibrary
BSI:LoadModule	Use of LoadModule
BSI:MEMSET	Use of memset
BSI:MetaRule	Use of rand
BSI:MetaRule	Use of rand48 Function
BSI:MetaRule	Use of random
BSI:Mkstemp	Use of mkstemp
BSI:MoveFile	Use of MoveFile
BSI:OemToChar	Use of OemToAnsi
BSI:OemToChar	Use of OemToChar
BSI:REALPATH	Use of realpath
BSI:RecvMsg	Use of recvmsg
BSI:SHCreateProcessAsUserW	Use of SHCreateProcessAsUserW
BSI:SIGNAL-01	Use of signal
BSI:SIGNAL-02	Use of setuid
BSI:STRCAT	Use of strcat
BSI:STRCMP	Use of strcmp
BSI:STRCPY	Use of strcpy
BSI:STRLEN	Use of strlen
BSI:STRTRNS	Use of strtrns
BSI:SYSLOG-1	Use of syslog
BSI:ShellExecute	Use of ShellExecute
BSI:StrCatChainW	Use of StrCatChainW
BSI:TTYNAME	Use of ttyname
BSI:T_Open	Use of t_open
BSI:VFORK	Use of vfork
BSI:WinExec	Use of WinExec